



**GCE**

**Chemistry B**

Unit **H433A/01**: Fundamentals of chemistry

Advanced GCE

**Mark Scheme for June 2017**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.















© OCR 2017

H433/01

Mark Scheme

June 2017

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore
BP	Blank page

H433/01

Mark Scheme

June 2017

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

<b>Annotation</b>	<b>Meaning</b>
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
<b>DO NOT ALLOW</b>	Answers which are not worthy of credit
<b>IGNORE</b>	Statements which are irrelevant
<b>ALLOW</b>	Answers that can be accepted
( )	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
<b>ECF</b>	Error carried forward
<b>AW</b>	Alternative wording
<b>ORA</b>	Or reverse argument

**Subject-specific Marking Instructions**

Treatment of chemical equations:

- Do not allow unnecessary brackets (eg  $2(\text{KCl})$ )
- Do not allow wrong element symbols (eg CL)
- Do not allow superscripts for subscripts
- Allow one missing + or arrow if meaning is clear.

**INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

H433/01

Mark Scheme

June 2017


## Section A

Q	Key	Mark
1	C	1
2	B	1
3	D	1
4	C	1
5	A	1
6	C	1
7	B	1
8	B	1
9	D	1
10	C	1
11	C	1
12	B	1
13	A	1
14	B	1
15	A	1
16	A	1
17	B	1
18	B	1
19	D	1
20	D	1
21	C	1
22	C	1
23	A	1
24	A	1
25	B	1
26	D	1
27	B	1
28	B	1
29	A	1
30	C	1
		<b>Total</b> 30

H433/01  
Section B

Mark Scheme

June 2017

Question		Answer	Marks	Guidance
31	(a)	$2\text{H}_2\text{O} + 2\text{e}^- \rightarrow 2\text{OH}^- + \text{H}_2$ ✓ Oxidation state of hydrogen/ H has decreased/goes from +1 to zero. ✓	2	<b>ALLOW</b> $2\text{H}^+ + 2\text{e}^- \rightarrow \text{H}_2$ <b>ALLOW</b> $\text{H}_2\text{O} + \text{e}^- \rightarrow \frac{1}{2}\text{H}_2 + \text{OH}^-$ <b>ALLOW</b> Water/ $\text{H}^+$ (ions)/ other species shown in (wrong) equation have gained electrons <b>NOT</b> just 'reduction is gain of electrons'
31	(b)	<b>FIRST CHECK ANSWER ON ANSWER LINE</b> If answer = 0.15 award 3 marks If sf incorrect, award 2 marks to anything rounding to 0.15.  Moles of NaCl = $2.4 \times 10^5 / 58.5$ <b>OR</b> $4.1026 \times 10^3$ ✓ Moles of $\text{Cl}_2$ produced $0.5 \times 2.4 \times 10^5 / 58.5$ <b>OR</b> $2.0513 \times 10^3$ ✓ Mass $\text{Cl}_2 = \{0.5 \times 2.4 \times 10^5 / 58.5\} \times 71 = 0.15$ tonnes evaluated to 2sf ✓	3	<b>ALLOW</b> ecf  1. Calculation of moles NaCl 2. Use of ratio ÷ 2 or x 0.5 for a calculated no of moles 3. Moles $\text{Cl}_2$ to mass, unit conversion and 2 sf
31	(c)	Chlorine is toxic <b>AW</b> ✓	1	Incorrect refs to physical state/ flammability are <b>CON</b> <b>IGNORE</b> harmful
31	(d) (i)	 Homolytic ✓	2	Single headed arrows are vital Dots on radicals not essential
31	(d) (ii)	$\text{Cl} + \text{C}_2\text{H}_6 \rightarrow \text{HCl} + \text{C}_2\text{H}_5$ ✓ $\text{C}_2\text{H}_5 + \text{Cl}_2 \rightarrow \text{C}_2\text{H}_5\text{Cl} + \text{Cl}$ ✓	2	<b>ALLOW</b> $\text{Cl} + \text{C}_2\text{H}_6 \rightarrow \text{C}_2\text{H}_5\text{Cl} + \text{H}$ <b>AND</b> $\text{H} + \text{Cl}_2 \rightarrow \text{HCl} + \text{Cl}$ for 1 mark <b>DO NOT ALLOW</b> dots on molecules
31	(d) (iii)	$\text{Cl} + \text{O}_3 \rightarrow \text{ClO} + \text{O}_2$ <b>AND</b> $\text{ClO} + \text{O} \rightarrow \text{Cl} + \text{O}_2$ ✓ (Homogeneous as) catalyst/it and reagent(s)/ozone are in same/gaseous phase/state ✓  Catalyst is re-generated/reformed/there at beginning and	3	<b>IGNORE</b> dots on radicals <b>IGNORE</b> other equations Third marking point must be related to the idea of the catalyst being recycled.

H433/01

Mark Scheme

June 2017

Question			Answer	Marks	Guidance
			end/recovered/recycled ✓		
31	(d)	(iv)	<p><b>FIRST CHECK ANSWER ON ANSWER LINE</b> If answer = <math>3.96 \times 10^{-7}\text{m}</math> (2 or more sf) award 2 marks</p> <p>Energy (per bond): <math>302000/6.02 \times 10^{23} = (5.017 \times 10^{-19} \text{ J})</math> ✓</p> <p>Use of <math>E = hc/\lambda</math> and calculation, <math>\lambda = 3.96 \times 10^{-7}\text{m}</math> ✓</p>	2	<p><b>ALLOW</b> any number rounding to <math>4.0 \times 10^{-7}\text{m}</math> with 2 or more sf (to allow for early rounding)</p> <p><math>\lambda = 3 \times 10^8 \times 6.63 \times 10^{-34} \times 6.02 \times 10^{23} / 302000</math> <b>ALLOW</b> omission/error of one factor (1000, <math>N_A</math>, h or c) for 1 mark. (eg <math>3.96 \times 10^{-4}</math>, <math>6.59 \times 10^{-31}</math>, <math>5.98 \times 10^{26}</math>, <math>1.32 \times 10^{-15}</math>)</p> <p><b>ALLOW</b> use of <math>E = h \lambda</math> (gives <math>7.57 \times 10^{14}</math>) for 1 mark</p>
31	(e)		$\text{H}_2\text{SO}_4 + \text{KCl} \rightarrow \text{KHSO}_4 + \text{HCl}$ ✓	1	<p><b>ALLOW</b> <math>\text{H}_2\text{SO}_4 + 2\text{KCl} \rightarrow \text{K}_2\text{SO}_4 + 2\text{HCl}</math> <b>ALLOW</b> elements in any order in <math>\text{KHSO}_4</math> <b>IGNORE</b> state symbols</p>
31	(f)		<p>I, -1 and 0 ✓ S, +6 and -2 ✓</p> <p><math>8\text{HI} + \text{H}_2\text{SO}_4 \rightarrow 4\text{I}_2 + \text{H}_2\text{S} + 4\text{H}_2\text{O}</math> ✓</p>	3	<p><b>NOT</b> signs after the numbers. <b>ALLOW</b> ecf on signs after numbers for second point.</p> <p><b>ALLOW</b> '8H<sup>+</sup> + 8I<sup>-</sup>' for '8HI' <b>IGNORE</b> state symbols</p>
			Total	19	



H433/01

Mark Scheme

June 2017

Question		Answer	Marks	Guidance
32	(a)	They are in group 2/ same group/same no of outer electrons/ lose 2 electrons when they react ✓	1	
32	(b)	Magnesium (ions)... are smaller/ have a smaller radius/ have higher charge density <b>ORA</b> ✓  Distort (the charge on) the carbonate (ion)/ polarise the carbonate (ion) more <b>ORA</b> ✓	2	<b>NOT</b> magnesium carbonate/magnesium atoms have a higher charge density.  Comparison is essential in both parts.
32	(c)	<b>FIRST CHECK ANSWER ON ANSWER LINE</b> If answer = 647 (2 or more sf) award 3 marks  Moles CO <sub>2</sub> absorbed = 1000/40.3 ( = 24.81)✓ Volume CO <sub>2</sub> absorbed = ans to 1 <sup>st</sup> point x 8.31 x 298/95000 ( = 0.647) ✓ Evaluation and conversion to dm <sup>3</sup> (x1000) = 647 dm <sup>3</sup> ✓	3	<b>ALLOW</b> ecf throughout <b>ALLOW</b> 2 or more sf  1. Moles of MgO calculated = moles CO <sub>2</sub> absorbed 2. Correct substitution into $V = nRT/p$ 3. Evaluation and unit conversion

H433/01

Mark Scheme

June 2017

Question	Answer	Marks	Guidance
32 (d)*	<p><i>Please refer to the marking instructions on page 5 of this mark scheme for guidance on how to mark this question.</i></p> <p><b>Level 3 (5–6 marks)</b> Learners are able to explain the origin of colour, electron transitions that cause the lines and the application of the lines to identification of elements. They give most of the points in all 3 sections</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p><b>Level 2 (3–4 marks)</b> Learners clearly describe points from at least two of the sections or some coverage of all.</p> <p><i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p><b>Level 1 (1–2 marks)</b> Learners describe points from at least one of the sections or two points in total.</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p><b>0 marks</b> No response or no response worthy of credit.</p>	6	<p><b>Indicative scientific points may include:</b></p> <p><b>AO1.1 Origin of colour:</b></p> <ul style="list-style-type: none"> <li>• Colour is related to certain visible frequencies/wavelengths of light.</li> <li>• <math>(\Delta)E = h\nu</math></li> </ul> <p><b>AO1.1 Electron transitions:</b></p> <ul style="list-style-type: none"> <li>• Excitation of electrons by absorbing energy (NOT em radiation)</li> <li>• Release of em radiation as electron drops down energy levels.</li> <li>• energy levels are quantised/discrete</li> </ul> <p><b>AO2.1 Use in identification:</b></p> <ul style="list-style-type: none"> <li>• Energy levels and hence gaps are unique to the element.</li> <li>• Comparison of spectrum showed it did not match any elements known at the time. (Comparison with barium alone only partially matches this criterion).</li> </ul> <p><b>ALLOW</b> points made on a labelled diagram.</p>

H433/01

Mark Scheme

June 2017

Question		Answer				Marks	Guidance
32	(e)	Reagent solution	Ba <sup>2+</sup>	Pb <sup>2+</sup>	Fe <sup>2+</sup>	3	<p><b>ALLOW</b> 1 mark for each correct row.</p> <p><b>OR</b> 1 mark for a column of correct observations, as long as 3 reagents used.</p> <p>Cross incorrect boxes and tick remaining columns <b>OR</b> rows to give the higher score.</p> <p><b>ALLOW</b> anion name instead of full reagent.</p> <p><b>ALLOW</b> a dash in a box as 'no reaction', but not an empty box.</p> <p><b>ALLOW</b> white ppt for Ba<sup>2+</sup> and NaOH</p> <p><b>ALLOW</b> formulae for names of reagents as long as correct.</p>
		(Dilute) sulfuric acid <b>OR</b> any named soluble sulfate	White ppt	White ppt	Green solution/ no reaction		
		Sodium/potassium hydroxide/ ammonia	Colourless solution/ no reaction	White ppt	(Dirty) green ppt		
		Hydrochloric acid <b>OR</b> any named soluble chloride	Colourless solution/ no reaction	White ppt	Green solution/ no reaction		
		Any named soluble iodide	Colourless solution/ no reaction	Yellow ppt	Green solution/ no reaction		
		<b>Total</b>				<b>15</b>	

H433/01

Mark Scheme

June 2017

Question		Answer	Marks	Guidance	
33	(a)	Increasing temp	2	<b>ALLOW</b> 1 mark for a correct row if neither column correct. <b>ALLOW</b> up arrows (↑) for increase and down arrows for decrease.	
		Effect on yield			Inc pressure
		Effect on Kc			Increases/more hydrogen
		increases	No change	✓	✓
	(b)	<b>FIRST CHECK ANSWER ON ANSWER LINE</b> If answer = 0.33 award 2 marks (mark units separately)  Calculating eqm concs, CH <sub>4</sub> = 1.66, H <sub>2</sub> O = 0.66, CO = 0.34, H <sub>2</sub> = 1.02 ✓ Substitution into correct expression for K <sub>c</sub> and calculating, (1.02) <sup>3</sup> x 0.34/1.66 x 0.66 = 0.33 ✓  Units: mol <sup>2</sup> dm <sup>-6</sup> ✓	3	<b>ALLOW</b> ecf from concentrations <b>ALLOW</b> any number rounding to 0.33  1. Amounts at equilibrium 2. Substitution into K <sub>c</sub> and evaluation 3. Units Incorrect concentrations substituted into correct K <sub>c</sub> expression and correctly evaluated score second mark No ecf from wrong K <sub>c</sub> for units.	
(c)	(i)	(Entropy increase because) more moles of products/ on right-hand side/more moles produced ✓	1	<b>ALLOW</b> particles/molecule as an alternative to moles <b>NOT</b> just ways of arrangement	
(c)	(ii)	<b>FIRST CHECK ANSWER ON ANSWER LINE</b> If answer = +130.6 or any number rounding to +131 award 2  $3S_{H_2} = \Delta_{sys}S + S_{H_2O} + S_{CH_4} - S_{CO}$ <b>OR:</b> $3S_{H_2} = 214.5 + 186.3 + 188.7 - 197.7$ ✓ Evaluation with sign = +130.6/131 ✓	2	No ecf from first point'  130.6/131 without sign scores 1 mark	
(d)		$(\Delta_{total}S = +214.5 - 206000/1000) = (+)8.5$ ✓  feasible (since positive)✓	2	<b>ALLOW</b> ecf from negative answer to first mpt and from wrong positive answer Second mark must be consistent with the (implied) sign of the answer to the first point	

H433/01

Mark Scheme


June 2017

Question		Answer	Marks	Guidance
(e)	(i)	$6 \times 100 / (16 + 18) = 17.6/17.65/18$ ✓	1	<b>ALLOW</b> 2 or more sf
(e)	(ii)	Co-product✓	1	<b>ALLOW</b> 'waste product' <b>DO NOT ALLOW</b> By-product
(f)		Any 2 from:✓ ✓  <ul style="list-style-type: none"> <li>• Stops the release of/ removes toxic/poisonous/dangerous/polluting CO</li> <li><b>OR</b> no need to transport/remove CO</li> <li><b>OR</b> uses up/re-uses CO</li> <li>• (Exothermic) reaction provides heat, saving fuel/ heating steam reforming/endothermic reaction</li> <li>• Higher yield of hydrogen/ more hydrogen/higher atom economy/less waste.</li> </ul>	2	Any 2 from:  1. relating to utilisation of CO 2. energy considerations 3. yield of hydrogen/ atom economy/ waste  <b>NOT</b> 'no waste'/100% atom economy as CO <sub>2</sub> is still a waste product.  If more than 2 reasons are given, mark the first 2.
<b>Total</b>			<b>14</b>	

H433/01

Mark Scheme


June 2017

Question		Answer	Marks	Guidance
34	(a) (i)	<p><i>Bond angles:</i> Both have bond angle of <math>120^\circ</math> ✓ Both structures have three areas of electron density/ 3 groups (or regions or sets) of electrons/ 3 areas of <u>negative</u> charge (repelling) ✓</p> <p><i>Bond lengths:</i> Structure 1, all bond lengths the same. ✓ Structure 2, C=C shorter than C-C ✓</p>	4	<p>marks for bond angle and explanation. 2<sup>nd</sup> mark depends on the first</p> <p>1 mark for bond lengths in each structure.</p>
	(ii)	Structure 2 would be expected to have $\Delta H$ of 3 x cyclohexene/ $(-360 \text{ (kJmol}^{-1}\text{)})$ , ✓ benzene/structure 1 has delocalised (electrons) ✓	2	
	(b) (i)	(Temp) below $55^\circ\text{C}$ <b>OR</b> $55^\circ\text{C}$ ✓ $\text{HNO}_3 + 2\text{H}_2\text{SO}_4 \rightarrow \text{NO}_2^+ + 2\text{HSO}_4^- + \text{H}_3\text{O}^+$ ✓	2	<p><b>IGNORE</b> any reagents mentioned or conditions other than temperature for the first point <b>ALLOW</b> <math>\text{HNO}_3 + \text{H}_2\text{SO}_4 \rightarrow \text{NO}_2^+ + \text{HSO}_4^- + \text{H}_2\text{O}</math> <b>ALLOW</b> <math>\text{HNO}_3 + \text{H}_2\text{SO}_4 \rightarrow \text{H}_2\text{NO}_3^+ + \text{HSO}_4^-</math> then <math>\text{H}_2\text{NO}_3 \rightarrow \text{NO}_2^+ + \text{H}_2\text{O}</math></p>
	(ii)	<p><math>\text{NaNO}_2</math>/ Sodium nitrate(III)/ sodium nitrite <b>AND</b> <math>\text{HCl}</math> ✓ Temp below <math>5^\circ\text{C}</math> ✓</p>  <p>Alkaline conditions <b>AW</b> ✓</p>	4	<p><b>ALLOW</b> <math>\text{HNO}_2</math>/name <b>ALLOW</b> ice cold</p> <p><b>ALLOW</b> H drawn on coupling carbon</p> <p><b>ALLOW</b> third mark if appropriate conditions shown in middle box <b>IGNORE</b> any other reagents in bottom box unless <b>CON</b></p>
	(c)	(Sodium) Sulfonate	1	<b>IGNORE</b> any oxidation state given

H433/01

Mark Scheme

June 2017

Question		Answer	Marks	Guidance
	(d)	<p>✓ ✓ ✓ 1 for each arrow</p> 	3	<p><b>ALLOW</b> arrows that, if continued in the same direction, would start and finish in the correct places, (anywhere on appropriate atom or bond).</p> <p><b>ALLOW</b> arrow from H into the ring <b>AND</b> an arrow from the ring to the right-hand N as alternative for arrow 2</p>
	(g) (e)	<p><b>FIRST CHECK ANSWER ON ANSWER LINE</b> If answer = 0.8(0) award 2 marks</p> <p><math>[H^+] = 10^{-3.7}</math> evaluated = <math>2.0 \times 10^{-4}</math> ✓</p> <p><math>K_a / [H^+] = [In^-] / [HIn]</math> evaluated = 0.80 ✓</p>	2	<p>Must have 'H<sup>+</sup> =' to score the first point</p> <p><b>ALLOW</b> 1: 1.25, 4: 5 etc <b>NOT</b> 1: 0.8</p>
<b>Total</b>			<b>18</b>	

H433/01

Mark Scheme

June 2017


Question		Answer	Marks	Guidance								
35	(a) *	<p><i>Please refer to the marking instructions on page 5 of this mark scheme for guidance on how to mark this question.</i></p> <p><b>Level 3 (5–6 marks)</b></p> <p>Gives a clear account with at least 1 fine detail point in all 3 sections.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p><b>Level 2 (3–4 marks)</b></p> <p>Gives a point from each of the 3 sections. <b>OR</b> Gives an account of 2 areas, both including a fine detail point.</p> <p><i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p><b>Level 1 (1–2 marks)</b></p> <p>Makes at least 2 relevant points.</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p><b>0 marks</b> No response or no response worthy of credit.</p>	6	<p><b>Indicative scientific points might include:</b></p> <p><b>AO3.2 Make judgements – Interpret practical procedure</b></p> <p><b>1 Use of ppt</b></p> <ul style="list-style-type: none"> <li>• Weigh ppt</li> </ul> <p><b>Fine detail:</b></p> <ul style="list-style-type: none"> <li>• Filter to collect ppt</li> <li>• Rinse ppt with distilled/deionised water</li> <li>• Dry precipitate. This may be in the remedies for inaccuracy</li> </ul> <p><b>2 Use of mass of ppt to find x</b></p> <ul style="list-style-type: none"> <li>• Find moles of <math>\text{MgCO}_3</math></li> </ul> <p><b>Fine detail:</b></p> <ul style="list-style-type: none"> <li>• Appreciation that mass ppt related to moles <math>\text{MgSO}_4</math></li> <li>• Subtract mass of <math>\text{MgSO}_4</math> from original mass of crystals to find mass of water <ul style="list-style-type: none"> <li>• calculate no. moles water and find the ratio.</li> </ul> </li> </ul> <p><b>3 AO3.4 Develop and refine</b></p> <p><b>At least one point from:</b></p> <table border="1"> <thead> <tr> <th>Inaccuracy</th> <th>Remedy (fine detail)</th> </tr> </thead> <tbody> <tr> <td>Not enough sodium carbonate added to precipitate all the magnesium ions or not all <math>\text{MgSO}_4</math> dissolved</td> <td>Add excess sodium carbonate  Add more water</td> </tr> <tr> <td>Mass of ppt inaccurate due to water</td> <td>dry ppt <b>IGNORE</b> means of drying</td> </tr> <tr> <td>Losses of substances when filtering/pouring etc</td> <td>Rinse all containers with distilled water and add to the filter.</td> </tr> </tbody> </table>	Inaccuracy	Remedy (fine detail)	Not enough sodium carbonate added to precipitate all the magnesium ions or not all $\text{MgSO}_4$ dissolved	Add excess sodium carbonate  Add more water	Mass of ppt inaccurate due to water	dry ppt <b>IGNORE</b> means of drying	Losses of substances when filtering/pouring etc	Rinse all containers with distilled water and add to the filter.
Inaccuracy	Remedy (fine detail)											
Not enough sodium carbonate added to precipitate all the magnesium ions or not all $\text{MgSO}_4$ dissolved	Add excess sodium carbonate  Add more water											
Mass of ppt inaccurate due to water	dry ppt <b>IGNORE</b> means of drying											
Losses of substances when filtering/pouring etc	Rinse all containers with distilled water and add to the filter.											



H433/01

Mark Scheme

June 2017

Question	Answer	Marks	Guidance
(b)	<p><b>FIRST CHECK ANSWER ON ANSWER LINE</b>            If answer = -99.9 or -100 award 4 marks            (+) 99.9 or -68.1 scores 3 (1 of the last 2)</p> <p>1. Use of <math>Q=mc\Delta T</math>:  <math>50 \times 3.0 \times 4.18</math> (= 627 J or 0.627 kJ) ✓</p> <p>2. moles <math>\text{MgSO}_4 \cdot 7\text{H}_2\text{O} = 9.7 / 246.4 = 0.0394</math> <b>AND</b>            Scale up for 1 mole: <math>\Delta H = 0.627 / 0.0394</math>  <math>= (+)15.9 \text{ kJ mol}^{-1}</math> ✓</p> <p>3. <math>\Delta H = (-84.0 - (+15.9))</math> ✓  <b>OR</b> Cycle (or enthalpy level diagram) labelled with species ✓</p> <div style="text-align: center;">  </div> <p>4. Evaluated with sign = -99.9 kJ mol<sup>-1</sup> ✓</p>		<p><b>ALLOW</b> ecf throughout.</p> <p><b>IGNORE</b> sign for first point.            A common mistake is to take the mass as 59.7.</p> <p><b>NOT</b> -15.9 as temp of water falls.</p> <p><b>IGNORE</b> (7)H<sub>2</sub>O in bottom box.</p>
(c)	<p>Top box: <math>\text{Mg}^{2+}(\text{g})</math> <b>AND</b> <math>\text{SO}_4^{2-}(\text{g})</math> ✓</p> <p><math>\Delta_{LE}H</math> (= -1922 -1099 +84) = -2937 ✓</p>	2	
(d)	<p>Strontium (ions) are larger/have a lower charge density ✓</p> <p>so forces between water and strontium/ion-dipole forces less strong  <b>OR</b> fewer water molecules surround it  <b>OR</b> Not enough energy released in making ion-dipole bonds <b>OR</b> <math>\Delta_{\text{hyd}}H</math> is less exothermic/releases less energy ✓</p>	2	<p>1 Charge density/radius.</p> <p>2 Correct statement on the interactions between strontium ions and water.</p> <p><b>IGNORE</b> smaller/larger in relation to <math>\Delta_{\text{hyd}}H</math>.  <b>ORA</b> throughout</p>
	<b>Total</b>	<b>14</b>	

**OCR (Oxford Cambridge and RSA Examinations)**  
**1 Hills Road**  
**Cambridge**  
**CB1 2EU**

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

**[www.ocr.org.uk](http://www.ocr.org.uk)**

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
**is a Company Limited by Guarantee**  
**Registered in England**  
**Registered Office; 1 Hills Road, Cambridge, CB1 2EU**  
**Registered Company Number: 3484466**  
**OCR is an exempt Charity**

**OCR (Oxford Cambridge and RSA Examinations)**  
**Head office**  
**Telephone: 01223 552552**  
**Facsimile: 01223 552553**

© OCR 2017

